






# PA350 – 3.81


Rising clamp terminal block



## TECHNICAL DATA

	IEC	UL / CSA	
<b>Pitch</b>	3.81 mm	0.15"	
<b>Poles</b>	2, 3		
<b>Versions</b>	VE vertical		
<b>Ratings</b>	125V - 13.5A	125V - 10A	
<b>Wire size</b>	1.0 sqmm	22 ÷ 16 AWG	
<b>Working Temperature</b>	-5 ÷ 85 °C (short time 115 °C)	23 ÷ 221 °F	
<b>Plastic Material</b>	Green Polyamide PA6.8, UL94-V0, CTI600V, GWT960 °C		
<b>Metal Parts</b>	Soldering pin made in tin plated brass; Cage insert made in nickel plated brass; M2 Screw made in zinc plated steel		
<b>Screw Torque</b>	0.5 Nm	7 lb-in	
<b>Accessories</b>			
Approvals	File Nr.	Ratings (sqmm/AWG – V – A – T)	Standard References
	EI 629	1.0sqmm - 125V - 13.5A - 85 °C	EN60998-1; EN60998-2-1
	5699 ÜG	1.0sqmm - 125V - 13.5A - 85 °C	DIN EN60998-1; DIN EN60998-2-1 (VDE 0613)

DIMENSIONAL DRAWING





# PA350 – 3.81

PACKAGING		
Type	P-N	Pack
PA 350/3.81/2	00113002	250
PA 350/3.81/3	00113003	250

PALLETS
Europallets

